BOROUGH OF DARLINGTON.



ANNUAL REPORT

FOR THE YEAR 1911,

RV


S. G. MOSTYN, M.A., M.B., B.Ch., D.P.H.,

MEDICAL OFFICER OF HEALTH.

MEDICAL SUPERINTENDENT OF THE BOROUGH ISOLATION HOSPITALS.

SCHOOL MEDICAL OFFICER.

DARLINGTON:
JAMES DODDS, PRINTER, LITHOGRAPHER, &C., NORTHGATE
1912.



BOROUGH OF DARLINGTON.

To the Chairman and Members of the

Health and Sanitary Committee.

GENTLEMEN.

I herewith submit for your consideration my First Annual Report on the Health and Sanitary condition of Darlington during the year 1911, the Thirty-first Annual Report presented to you by successive Medical Officers of Health. I wish to thank you for the sympathetic support which I have received from you since I took up my duties in Darlington, and at the same time I would express my indebtedness to the Members of the Staff of the Health Department, as well as to other Corporation Officials for the valuable and ready help they have given me.

I am, Gentlemen,

Your obedient Servant,

S. G. MOSTYN.

HEALTH OFFICE,

HOUNDGATE,

MAY 14TH, 1912.

Digitized by the Internet Archive in 2017 with funding from Wellcome Library

HEALTH REPORT, 1911.

Area of the Borough. -3,956 acres.

Excluding a detached portion of the Borough at Oxneyfield, which consists of 345 acres of agricultural land about a mile to the south of the main portion, Darlington lies at a height above sea-level varying from 123 to 223 feet. The natural drainage of the town is to the Cockerbeck and Skerne valleys.

Population.—The population of the Borough at the census taken on the third of April, 1911, according to the preliminary report of the Registrar-General consisted of 55,633 persons, or of 12,289 "families or separate occupiers." This gives an average of 4.52 persons to each family or occupier.

The estimated population for the middle of the year 1911 is 55,911. Census returns are not available for the different wards, but by distributing the population in proportion to the number of burgesses in the wards the ward-populations may be taken to be:—

North Ward	10,425
East Ward	9,080
North-West Ward	13,529
West Ward	6, 180
South Ward	8,784
Central Ward	7,913

The total number of houses in the Borough on the 31st of December, 1911, was 12,568.

Owing to its census population exceeding 50,000 Darlington now takes its place among the "Great Towns" of England and Wales; its position being the 81st among 94.

Births.—There were 1,500 births registered in the Borough, but of these 4 were transferable to other districts. The remainder 1,496 gives a birth-rate of 26'8 per 1,000 of the population per

annum; a rate slightly higher than the corresponding figure for last year, 26.5.

The birth-rate for the administrative County of Durham is 31.7, and for England and Wales, 24.4 per 1000 of the population. The number for England and Wales is the lowest on record.

Deaths.—During the year 830 deaths were registered in the Borough; of these 18 were of non-residents and have been transferred to other districts; on the other hand the deaths of 25 Darlington residents occurred outside the Borough. These corrections give 837 net deaths belonging to the district, corresponding to a **death-rate** of 15.0 per 1,000 of the population.

Particulars of the causes of death, and the ages at which death took place, will be found in Table III., page 34; in Table V., pages 36 and 37, the deaths are assigned to the wards and the quarters of the year in which they occurred.

The following Table compares Darlington with the County of Durham and the rest of England and Wales for 1911:—

	A	nnua	l Rat	es pe	er 1,0	00 ol	the	Pop	ulatio	n.	year of births.
	Birth.	Death.	Zymotic Death-rate.	Smallpox.	Measles.	Scarlet Fever.	Diphtheria and Membranous Croup	Whooping Cough.	Enteric Fever, Continued Fever, &c.	Diarrhœa and Enteritis under 2 years.	Deaths under 1 yage per 1,000 bi
England and Wales 77 Great Towns 136 Smaller Towns England & Wales	25.6			0.00	0.47	0.06	0.15	0.24	0·07 0·06 0·07		130 140 133
less 213 Towns Durham Admnistrative County	31.7		3·01 1·82	0.00	0.44	0.07	0.16	0.38		1.65	118 158 135

In the following Table statistics are given with regard to Darlington and England and Wales for the last ten years. In this Table and throughout this Report the populations given for Darlington are determined from the census returns for 1891, 1901, and 1911 by the method used by the Registrar-General for the last ten years, and the various rates for Darlington have been recalculated for these populations:—

			DARL	INGTON	г.	ENG	LAND	AND	WALES.
YEAR. Population.			al Rate p he Popul		Infant Mortality	Annua of th	Infant Mortality		
	Birth. Death. Deaths from Zymotic Diseases Rate per 1,000 Births.		Birth.	Death.	Zymotic	Rate per 1,000 Births.			
1902 1903 1904 1905 1906 1907 1908 1909 1910 1911	45,873 46,971 48,069 49,173 50,283 51,398 52,519 53,646 54,779 55,911	30·1 29·5 30·1 30·1 28·2 27·5 30·4 28·0 26·5 26·8	14·9 17·9 16·7 14·7 15·7 14·1 14·3 13·3 12·9 15·0	1.74 2.29 1.89 1.32 2.27 0.84 1.56 0.76 1.15 1.82	119 185 137 121 143 115 119 102 105 135	28·5 28·4 27·9 27·2 27·1 26·3 26·5 25·6 24·8 24·4	16.2 15·4 16·2 15·2 15·4 15·0 14·7 14·5 13·4 14·6	1.64 1.46 1.94 1.52 1.73 1.26 1.29 1.12 0.99 1.88	133 132 145 128 132 118 120 109 106 130

Coroner's Inquests were held regarding 26 deaths, the proportion of inquest cases to the total number of deaths during the year being 3·1 per cent. Seven of these deaths were of children under six years of age, and five of these seven deaths were due to burns or scalds; four deaths were due to tetanus, five to suicide, one to improper feeding, and the rest to accidents.

Uncertified Deaths.—During 1911 there were 40 deaths the causes of which were not certified by the Coroner or by medical men; this is equivalent to 5 per cent. of the total deaths. Of these deaths 10 occurred under one year of age and 14 at the age of 65 and upwards.

Infant Mortality,—The number of deaths under one year of age was 202, corresponding to an Infant Mortality-Rate of 135 per 1,000 births. Reference to the Table above will shew that, as in the whole country, this rate is considerably higher than in recent years. This increase can be accounted for by the large number of deaths (see Table IV., page 35) due to Diarrhæa and Enteritis during the hot dry weather last summer. Of these 44 deaths, 37 occurred in the North, East, and North-West wards (see Table, page 38); the districts occupied by the more well-to-do inhabitants largely escaped, but there is no reason why the rest of the town should not do as well. These deaths are in almost all cases avoidable; they are due to food pollution, and may be prevented if the house and its surroundings are kept clean and free from decomposing matter; special attention should be paid to keeping milk clean.

and unpolluted. No case of summer diarrhœa in an infant should be neglected; medical advice should be sought at once and scrupulously followed.

The infant mortality-rate is an excellent index of the social and sanitary conditions of a district, as it is increased by those conditions which it is the special object of social workers and sanitary reformers to ameliorate. A high infant-mortality rate is accompanied by a higher death-rate, not only in the early years of life, but at succeeding periods up to adult life. The chief requisites for a low infant mortality are knowledge and intelligence in the mothers, absence of overcrowding and healthy conditions in the house, cleanliness of yards and streets, and a decent and efficient method of disposing of refuse so as to avoid pollution of the air and food.

Four deaths from **Tetanus**, and one from **lead poisoning** occurred during the year.

Zymotic Diseases.—The principal Zymotic Diseases caused 107 deaths (see Tables, pages 34 and 36, and Table below); of these, 54 were due to Diarrhœal Diseases under two years of age, 19 to Scarlet Fever, 12 to Whooping Cough, 11 to Measles, 5 to Puerperal Fever, 3 to Diphtheria, and 3 to Enteric Fever.

TABLE-THE FOLLOWING TABLE GIVES THE NUMBERS OF DEATHS AND DEATH RATES PER 1,000 OF THE POPULATION FOR EACH OF THE PRINCIPAL ZYMOTIC DISEASES SINCE 1892.

	ادها			
Total Zymotic Death Rate.	Rate	1.26 2.18 2.18 2.18 2.18 2.09 1.60 1.60 1.60 1.60 1.60 1.60 1.60 1.61 1.61	.80 1.17 1.91	1.58
To Zyn Death	No.	869 879 879 879 870 870 870 871 871 871 871 871 871 871 871 871 871	43 64 107	80.5
uerperal Fever.	Rate.		.02 .09	•03
Puerperal Fever.	No.	0.60	2 1 2	1.5
Diarrhœa and Enteritis.*	Rate.		.15 .47 .97	-65
Diarrhœ and Enteritis	No.	21 36 55 77 6 6 113 47 31 31 47 88 88	8 26 54	32.9
oping igh.	Rate.	0.05 1.12 1.15 1.15 1.15 1.16	.43 .21	22.
Whooping Cough.	No.	111 113 113 113 113 113 113 113	23 11 12	13.9
sles.	Rate.	21 30 50 50 61 61 61 62 63 64 63 64 64 64 64 64 64 64 64 64 64	.26 .20	.20
Measles	No.	8 10 10 10 11 11 11 11 12 13 14 14	11	2.6
Diphtheria and Membranous Croup.	Rate.	1.5 1.5 2.5 2.9 2.9 1.12 1.12 1.12 1.12 1.14 1.14 1.15 1.16 1.16 1.16 1.16 1.16 1.17 1.17 1.17 1.17 1.18 1.19	.03 .05	-21
Diphther and Membrand Croup.	No.	6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	446	12.0
Enterie Fever, &c.+	Rate.	05 43 43 44 15 16 17 17 17 17 17 18 19 10 10 10 10 10 10 10 10 10 10	.02 .05	60-
Enterie Fever, &e	No.	271 100 100 100 100 100 100 100 1	4 T S	0.9
rlet	Rate.	0.05 0.05 0.05 0.06 0.06 0.07 0.08 0.09	.04 .13	60.
Searlet Fever.	No.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 7 19	5.3
lpox.	Rate.	:::::::::::::::::::::::::::::::::::::::	:::	-01
Small	No.	:::::::::::::::::::::::::::::::::::::::	:::	မဲ့
Mid-Year	Fopulation.	38,837 39,464 40,097 40,735 41,378 42,681 44,006 44,779 41,735 46,971 48,069 49,173 50,283 51,398	53,646 54,779 55,911	50,862
YEAR.		1892 1893 1894 1895 1896 1897 1899 1900 1901 1892-1901.	1909 1910 1911	Mean 1902-1911.

* The numbers and rates for Diarrhœa and Enteritis refer to deaths under five years of age for the years 1892 to 1910 (inclusive). The numbers for 1911 refer to deaths under two years of age. As most of these deaths occur under one year of age this difference is not important.

† A few cases of Continued Fever and Relapsing Fever are included in this column.

INFECTIOUS DISEASES.

TABLE shewing the number of **Notifications** of Notifiable Diseases, the **deaths** occurring therefrom, and also the number of Darlington Patients admitted to and discharged from the Borough Fever Hospitals during 1911:—

Diseases.	Cases Notified.	Deaths Registered.	Number in Hospital at beginning of year.	Admitted to Hospital during year.	Discharged from Hospital.	Died in Hospital.	Remaining in Hospital at end of year.	Case Mortality Per Cent. among Patients Admitted to Hospital During the Year.
Scarlet Fever Diphtheria (including Membranous Croup) Enteric (or Typhoid) Fever	719 57 18 1 1 28	19 3 5 2	88 4 2	671 44 9 1	620	19 2 1 	117 2 1 	2·8 4·5 11·1
Total for 1911	824	33	94	725	676	22	120	3.0
Total for 1910	443	15	20	392	308	10	94	2.6

In addition to the above, 25 cases from the Rural District were admitted to the Borough Hospital. These included 19 cases of Scarlet Fever, 4 of Diphtheria, and 2 of Enteric Fever. No deaths occurred among these patients.

COMPARATIVE RATES OF PREVALENCE OF SICKNESS AND DEATH FROM INFECTIOUS (NOTIFIABLE) DISEASES IN DARLINGTON.

(Rates calculated per 1,000 of the population, estimated to the middle of each year).

		_		_	_	_			_	_	_	_
Death	•04	:	60.	.03	-05	:	:	:	•04	-05	60.	
Attack	-05	•04	90.	-08	90.	.04	:	•04	90.	•04	.02	
Death	-40	-17	-11	.10	.10	.18	.10	•04	-07	-02	-05	
Attack	1.47	•94	.43	1.58	1.03	-80	.35	.40	.55	.44	.34	
Death	60.	.31	90.	-03	90.	.03	-02	-02	•04	.13	-34	
Attack	4.4	6.8	2.7	1.7	2.8	2.3	1.0	1.0	1.2	6.5	12.9	
Death	.20	.61	.47	.40	-22	.20	•18	.19	•08	20.	•05	
Attack	.51	2.14	3.85	3.00	2.48	1.07	1.03	1.41	.75	-91	1.02	
Death	-02	•05	:	•04	•04	•04	:	:	.02	•04	•04	
Attack	.36	-24	09.	.54	•59	.42	.21	.23	.35	•46	.50	
Death	:	:	90.	:	:	:	:	:	:	:	:	
Attack	:	:	1.79	•04	-04	:	-03	:	:	:	:	
	1901	1902	1903	1904	1905	1906	1907	1908	1909	1910	1911	
	Death Attack Death Attack Death Attack Death Attack Death Attack	Attack Death Attack	Attack Death Attack .36 .02 .51 .20 4.4 .09 1.47 .40 .02 .24 .02 2.14 .61 8.9 .31 .94 .17 .04	Attack Death Death Attack Death Death Attack Death	Attack Death Death Attack Death Death Attack Death	Attack Death Attack 0.02	Attack Death Attack	Attack Death Death	Attack Death Death Attack Death Attack Death Attack Death Attack Death Death Death Attack Death Death Death Attack Death	Attack Death Death	Attack Death Death	Death Attack Death Death

No cases of Typhus Fever, Asiatic Cholera, or Plague, occurred during the above period.

* A few cases of Continued Fever and Relapsing Fever are included under this heading.

The following Table shews the number of cases of Infectious Diseases notified each month during 1911.

		Scarlet Fever. Diphtheria and Membranous Croup.	Enteric Fever.	Continued Fever.	Puerperal Fever.	Erysipelas.	Totals.
January February March April May June July August September October November December		46 2 55 9 03 3 62 4 37 2 32 6 64 8 62 4 46 6 71 5 66 7 75 1	3 1 1 2 1 3 2 2 2 1 2	·· · · · · · · · · · · · · · · · · · ·	··· ·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ··	3 1 6 2 3 2 2 1 1 4	54 67 113 70 42 41 75 70 55 82 74 81
Total for 191	1 7	19 57	18	1	1	28	824
Total for 191	0 3	42 50	20	4	2	25	443

The Infectious Diseases (Notification) Act, 1889, was brought into force within the Borough at the Since then the Notifications have been as follows: beginning of 1890.

Average for the 22 years.	4.45	48.04	24.73	177-41	55.14	2.50	2.54	†842.48	314.81
Total.	86	1057	544	3903	1213	55	99	1756	6927
1911	:	57	28	719	13	-		:	824
1910	:	20	25	342	20	2	4	:	443
1909	:	40	19	63	28	က		:	154
8061	:	74	12	20	21	67	:	:	159
1894 1895 1896 1897 1898 1899 1900 1901 1902 1903 1904 1905 1906 1907 1908 1909 1910 1911		63	11	52	17	:	1	:	135
1906	:	54	21	115	39	2	1	:	232
1905	63	122	29	137	20	က		:	344
1904	27	144	26	80	92	4	:	:	332
1903	84	181	26	125	20	က	:	:	439
1902	:	86	11	407	43	2	:	:	561
1901	:	23	16	196	64		2	:	302
1900	:	16	22	112	40	က	:	:	198
1899	:	17	33	270	38	9		:	365
1898	9	10	7	49	88	-	6)	:	163
1897	:	8	25	228	35	1	7	:	298
1896	:	11	35	268	27	23	4	:	347
1895	:	26	34	71	65	:	5	:	201
1894	7	13	30	54	53		:	:	152
1893	2	11	36	92	140	က	11	:	295
1892	:	11	28	128	40	5	1-	20	220
1891	:	21	28	104	102	4	6	1483	268
1890 1891 1892 1893	:	17	37	241	189 102	9	5	223 1483	495
Disease.	Smallpox	Dipbtheria & Membranous Croup	Erysipelas	Scarlet Fever	Enteric Fever	Puerperal Fever	Continued and Relapsing Fevers	*Measles	‡Totals without including Measles 495 268 220 295

* Ceased to be notifiable at beginning of February, 1892.
† This is the average for 21^{2} years, the period during which Measles was compulsorily notifiable.
‡ Excluding Measles the total average for 22 years is based on 6,927 cases.
No cases of Typhus Fever, Asiatic Cholera, or Plague were notified during the above period.

Scarlet Fever.—The outbreak of Scarlet Fever which began in 1910, continued throughout 1911. The maximum number of notifications was 103 in March, and the smallest number 32 in June. The number of cases notified was 719, of these 671, rather more than 93 per cent. were treated in the Borough Isolation Hospital. Among the 719 cases there were 19 deaths, equivalent to 2.6 per cent.

The extension of the Hospital, decided on in October, 1910, was insufficient, and in March, 1911, the second extension, consisting of a large Ward and Discharge Block was begun. The Hospital, as thus extended, contains 112 beds, distributed in four Ward Blocks and a Discharge Block.

The large proportion of patients removed to Hospital is evidence of the popularity of the Hospital, both with the medical men of the town and the parents of the patients. The Table below shows that though the attack rate is by far the highest for the last 21 years, the cases were usually mild in type, and the mortality among the patients has been greater in eight of the twenty-one years.

In May all the public Elementary Schools were closed for six weeks on account of Scarlet Fever, and thoroughly cleansed and disinfected. Later in the year a Girls' Boarding School and a Girls' Home were treated in the same way.

The following Table gives the Scarlet Fever Attack-, Death-, and Mortality-rates, together with the percentage of cases removed to the Hospital from the Borough, and also the number of cases removed to the Hospital from outside the Borough since 1891:—

Year.	Estimated Mid-Year Popula- tion.	Attack Rate per 1,000 Population.	Death Rate per 1,000 Population.	Mortality Rate per cent. of cases.	Percentage of cases removed to Hospital.	Number of cases removed to Hospital from outside Borough.
1891 1892 1893 1894 1895 1896 1897 1898 1899 1900 1901 1902 1903 1904 1905 1906 1907 1908 1909 1910 1911	38,215 38,837 39,464 40,097 40,735 41,378 42,028 42,681 43,341 44,006 44,779 45,873 46,971 48,069 49,173 50,283 51,398 52,519 53,646 54,779 55,911	2·7 3·3 2·3 1·3 1·7 6·5 5·4 1·1 6·2 2·5 4·4 8·9 2·7 1·7 2·8 2·3 1·0 1·0 1·2 6·2 12·9	·16 ·03 ·05 ·05 ·05 ·36 ·29 ·25 ·16 ·09 ·31 ·06 ·02 ·06 ·03 ·02 ·04 ·13 ·34	1·9 0·8 2·2 3·7 2·8 5·6 3·9 4·8 6·3 2·0 3·5 1·4 1·3 2·2 1·7 1·9 2·0 3·8 2·0 2·6	56 42 46 41 55 62 60 90 69 71 83 78 84 84 82 88 85 90 90 90 90 90 90	2 0 1 3 7 8 6 0 19 6 10 40 18 8 2 1 0 10 10 10

Diphtheria (including Membranous Croup). — The number of notified cases of this disease was 57. Owing to the large number of cases of Scarlet Fever under treatment in the earlier part of the year it was necessary for a time to refuse admission to Hospital to cases of Diphtheria. In spite of this, 44 cases in all—i.e. 77 per cent.—were removed to Hospital. Three deaths from this disease occurred during the year corresponding to 5·3 per. cent. of the cases notified.

Enteric (or Typhoid) Fever.—Eighteen cases of Enteric Fever were notified during the year, of these nine were removed to Hospital, and nine were treated at home. Three deaths occurred, one in Hospital, and two among home-treated cases.

Puerperal Fever.—Six cases of this disease occurred during the year, and five deaths were registered.

Erysipelas.—Twenty-eight cases of Erysipelas were notified, and two deaths occurred during the year from this disease.

Diarrhœa.—Sixty-nine deaths occurred from Diarrhœal diseases, distributed as follows:—North Ward, 15; East Ward, 24; North West Ward, 14; West Ward, 6; South Ward, 4; Central Ward, 6; in the first quarter of the year 6, in the second 8, in the third 48, and in the fourth 7. Forty-four of these deaths were of children under one year of age, the numbers in the various Wards as above, being 12, 14, 11, 2, 2, and 3, and in successive quarters of the year, 2, 4, 36, and 2. These deaths among children from Diarrhœa are usually, if not always, preventable, as is explained earlier in this report under Infant Mortality.

Measles caused 11 deaths and Whooping Cough 12. Few deaths would occur from Measles if the serious nature of this illness was recognized and precautions were taken to avoid complications, and to secure early treatment when they arise. Reference to Table V., page 36, will show that the deaths from these diseases are distributed among the Wards as follows: North 10, East 7, North-West and West none, South 3, and Central 2. Here too there is an opportunity for saving lives.

Tuberculosis.—There were 83 deaths from Tuberculosis during 1911, as follows:—

Pulmonary Tuberculosis - - 60 Tuberculous Meningitis - - 10 Other Tuberculous Diseases - - 13

Under the Public Health (Tuberculosis) Regulations, 1908, cases of Pulmonary Tuberculosis occurring in the practice of Poor Law Medical Officers became notifiable, and, by the Public Health

(Tuberculosis in Hospitals) Regulations, 1911, this notification was extended to patients treated at Hospitals and Dispensaries supported wholly or partly by charitable contributions. Under these orders 27 cases were notified, 18 males and 9 females; three between the ages of 15 and 25, thirteen between 25 and 45, ten between 45 and 65, and one over 65. Of these patients 9 came from the Central Ward, 6 each from the North-West and the South Wards, 5 from the East Ward, and 1 from the North-West Ward, 1 from the South Ward, and 1 from the Central Ward died in the Workhouse Infirmary; two died in the Central Ward.

Under the Public Health (Tuberculosis) Regulations, 1911, this Notification has been extended to cases occurring in private practice, so that after the first of January, 1912, all cases of Pulmonary Tuberculosis will be notifiable. It is to be hoped that the efforts about to be made in consequence of this notification, and in connexion with the National Insurance Act, will soon bring to an end the misery and loss of life now resulting from this disease. Special powers are given to County Councils under the Insurance Act, but the co-operation of all Local Authorities will be needed if the fight against Tuberculosis is to be successful.

No case of **Smallpox**, **Typhus Fever**, **Cholera**, or **Plague** occurred during the year.

GENERAL.

Water Supply.—The Borough is supplied by the Corporation Water Works with water pumped from the Tees at the extreme west end of the Borough, and purified by filtration; its quality is regularly examined for the Water Works Committee by the County Analyst. This water is treated with milk of lime to avoid plumbo-solvency. The quantity of lime is increased in the autumn at the time when decaying vegetation on the moorland gathering grounds would cause greater acidity of the water. Since this practice has been adopted the amount of lead compounds found in the water as supplied in the town has not exceeded the equivalent of one part of metallic lead in ten million, an amount considerably below the quantity permissible.

Rivers and Streams.—While the industries of the neighbourhood are not likely to lead to any great pollution of the streams, carelessness on the part of occupiers of premises by the stream side sometimes gives rise to pollution. It is important that the bed of the Cocker Beck and the old bed of the Skerne should be cleared of obstructions and kept clean.

Drainage and Sewerage.—The sewage of the town is all conveyed to the Sewage Farm, situated in the Skerne Valley about a mile to the south of the town. Storm overflows are provided at certain points. I am informed that the question of the adequacy of the sewers and the introduction of a more satisfactory method of sewage treatment are under consideration.

Closet Accommodation.—In many of the older houses in the Borough the closet accommodation consists of a privy with a midden attached. These middens number about 2,600, and are of a most objectionable character. In most cases there is no roof or impervious floor; the walls frequently are dilapidated, and at the best only consist of rough uncemented brickwork which it is impossible to keep clean.

During the last twenty years 5,400 privy ashpits—i.e., small privies with fixed receptacles in which household refuse is deposited—have been built, either in connexion with new buildings or in place of middens of the older type.

There are about 3,500 water closets in the Borough.

Attention has been frequently called by Dr. Lawrence, my predecessor as Medical Officer of Health, to the insanitary nature of the old middens, and the advisability of substituting water carriage for conservancy methods. Shortly after my appointment, at the request of the Council, I submitted a report on the sanitary accommodation of the Borough, which was considered at a joint meeting of the Health and Sanitary and Streets Committees.

Subsequently, at a meeting of the General Purposes Committee, the following resolution was passed:—

- "(1) That the Streets, &c., Committee be instructed henceforth to "require in all plans for new buildings or substantial alterations "submitted for their approval, that the 'Water Carriage System' of "sewage disposal be adopted.
- "(2) That in cases where plans have been already passed but the "buildings either not commenced or not too far advanced, the "builders or parties interested be notified in order that they may have "an opportunity of complying with this change.
- "(3) We are, however, not prepared to advise that the Council "should at once seek to have all conveniences converted to the 'Water "'Carriage System,' but we do recommend that in future any necessary "alteration should proceed gradually towards the attainment of that

"end, and that owners of property should be required to alter all old privies and privy-ashpits into water closets, only as, and when they create nuisances which cannot be abated without the provision of a water closet, and then only after the Health and Sanitary Committee have made a special report to the Council, calling attention to the need for the alteration to be made, and have obtained its approval thereto."

The alteration likely to proceed from this resolution is of the highest importance to the town, especially in view of the rapid growth of the Borough which is taking place in consequence of the large works which are now being built or extended in the northern half of the town.

Scavenging.—The contents of small privies and ashpits are removed once a week; the large midden-privies, of which, as previously stated, some 2,600 still exist, have their refuse removed about once a month. The infrequency of this cleansing is a menace to the public health, and the abolition of these middens, which has now begun, will do away with a source of serious food pollution. It is equally important that midden-steads in connexion with stables should be cleared at least once a week. The principal source of epidemic diarrhæa, from which many infants die yearly in the hot weather, is through germs from decomposing organic matter being carried to the food by dust and flies. As the time taken for the development of flies is under favourable circumstances about a week, if the refuse is removed once a week most of the flies will be taken away as maggots before they have time to develop to the adult form.

The Work of the Sanitary Inspectors and other officers engaged in sanitary work is fully described in the Report of the Chief Sanitary Inspector which is printed herewith. This report gives particulars of the work done during the year to protect the food supply. The samples of milk taken were usually of remarkably good quality as shewn by chemical analysis, but to completely safeguard this important article of food, arrangements are needed to examine samples of milk for tubercle bacilli. I would recommend your Committee to consider this important matter, and if necessary to obtain special powers from Parliament as has already been done by some other towns.

Details with regard to Meat Inspection will be found on page 25. There are 40 private slaughterhouses in the Borough, in which killing takes place on all days of the week. The work of inspection is in consequence difficult and much time is occupied in carrying it out.

The work required under the Housing and Town Planning Act, 1909, has been begun, and arrangements have been made for the

systematic survey and records required by that Act. Only one Closing Order was made during the year.

There are in the Borough ten common lodging houses, one underground bakehouse. five tripe preparers, one gut-scraper, one bone boiler, five fat renderers or fat extractors, thirty-three fish fryers, eleven rag and bone dealers, and one fellmonger.

The above premises have been regularly inspected—see pages 28 and 29. An underground bakehouse was found in use contrary to Section 101 of the Factory and Workshop Act, 1901. On the occupier's attention being called to the matter its use was at once given up.

The following Acts of Public Health interest have been adopted in the Borough:—

Baths and Wash-houses Acts of 1846 and 1847. Infectious Disease (Prevention) Act, 1890. Public Health Acts Amendment Act, 1890. Public Health Acts Amendment Act, 1907 (except sections 48, 82, 83, and 92).

The Shop Hours Act, 1904, is in force for the following trades:—Chemists and Druggists, Boot and Shoe Dealers, and Hairdressers and Barbers, the Chief Sanitary Inspector being Inspector under the Act.

The most important Local Act dealing with Public Health matters is the Darlington Extension and Improvement Act, 1872. This Act conferred on the Darlington Council powers with regard to closing property unfit for human habitation, of the same character as those contained in the most recent Acts.

On May 30th, an Order was obtained from the Local Government Board, under section 50 of the Public Health Acts Amendment Act, 1907, declaring the trades of fat melter or fat extractor, fish fryer, gut scraper, rag and bone dealer, and candle maker within the Borough to be offensive trades.

Sanitary Inspector's Report for the Year ending 31st December, 1911.

To the Chairman and Members of the Health and Sanitary Committee.

Gentlemen,

I have pleasure in submitting for your information and consideration my Annual Report as Borough Sanitary Inspector.

The year has being a very busy one indeed, and the work of the Department is ever increasing.

In addition to all the duties devolving upon the Department under the Public Health Acts, Food and Drugs Acts, Infectious Disease Prevention and Notification Acts, Dairies, Cowsheds, and Milkshops Regulations, Factory and Workshop Act, Poisons and Pharmacy Act, Shop Regulations Act, and the various Bye-laws, considerable additional duties have recently been created under the Housing and Town Planning Act, 1909, and the Housing (Inspection of District) Regulations, 1910.

Scarlet Fever has been epidemic during the year, and the necessary inquiries and disinfection has taken up a considerable portion of the Inspectors' time.

Several changes in the staff have taken place during the year. Owing to the lamented death of Percy Coverdale (one of the Assistant Inspectors) and the resignation of Francis Arnold (another assistant) to take up an appointment elsewhere, it was necessary to fill their places, and William Linsley, of Darlington, and Ernest Brittain, of Sunderland, were appointed.

General Sanitary Work.—During the year no less than 1,361 Informal Notices for the abatement of nuisances were served, and in most cases were complied with without the necessity of any report to the Council. Two hundred and eighty-three Statutory Notices were served in accordance with your instructions.

The following is a summary of the various headings under which such notices were served:—

	Number of Informal Notices by Inspector.	Number of Formal Notices by order of Council.	Number of Nuisances abated after Notice.
Dwelling-houses—Foul condition Structural defects	33 385	$\begin{array}{c} 2\\ 103 \end{array}$	33 413
Lodging-houses	7	3	8
Cowsheds	7	<u> </u>	7
Bakehouses	4	_	4
Slaughter-houses	3		3
Ashpits and Privies	253	46	277
Deposits of Refuse and Manure	7	4	9
Water Closets—Drains stopped up	36	1	36
Fittings defective	71	11	80
Defective yard paving	125	40	137
House drainage—Defective yard and			
scullery traps	31	4	33
No disconnection			
from sewers	118	27	130
Other faults—Yard, scullery, and cellar			
drains stopped up and defective	218	34	250
No water supply to water closets	4		4
Pigsties	5		5
Animals improperly kept	16	4	20
Offensive trades	1	_	1
Smoke nuisances	1		10
Filthy yards	11	1	12
House not provided with sufficient	25	3	07
sinks or slopstones	25	3	27
	1361	283	1490

The difference between the number of notices served and the nuisances abated is accounted for by the fact that in many cases the notices were still outstanding at the end of the year, because the time had not expired and other reasons.

Sanitary Conveniences.—Only 34 water closets have been substituted for the old-fashioned privies and ashpits, under notice from the Council, during the year, owing to the fact that the principle as to what class of convenience should be substituted in cases where the old-fashioned privies and ashpits were reported upon by the Medical Officer of Health and myself was not decided by the Council until near the end of the year, and in the meantime hundreds of cases which required to be dealt with were held over. There are still 2,631 of the old-fashioned privies and ashpits remaining in the Borough, and in many cases they are in a very bad condition, but I hope to be able to report a substantial diminution in that number in the course of another year.

During the year there were 346 new houses erected and inhabited in the Borough, and of these 259 were provided with privy-ashpits and 87 with water closets.

Having regard to our experience of the many nuisances occurring in connection with these privy-ashpits, it is a source of considerable satisfaction that the Council have decided to insist upon water closets in all new buildings, and also where alterations of sanitary conveniences take place in connection with old property.

Infectious Diseases.—The work of the department under this heading has been very heavy, the epidemic of Scarlet Fever continuing during the whole of the year. The necessary investigation work following each of the 824 cases of Infectious Disease referred to in the report of the Medical Officer of Health, and the subsequent disinfection of infected premises, notification to the school authorities, &c., has taken up a very large amount of time.

In addition to the ordinary work under this heading, 10 rooms have been fumigated and 4 lots of bedding disinfected after deaths from pulmonary tuberculosis, and we have also had several requests to disinfect houses following such diseases as cancer, septic throat, etc., which we have readily complied with.

The whole of the Elementary Schools, as well as one private school and several public institutions in the Borough, were also thoroughly cleansed and fumigated.

Factories and Workshops.—The total number of Workshops, including Bakehouses, on the register for the Borough at the end of the year was 354, and the following is a summary of the various trades represented:—

Bakers and Confection	ers	• •		55
Dressmaking, Millinery	y, &c.	• •		72
Boot Repairing		• •	• •	41
Joiners, Cabinet Make	rs, &c.		• •	5 3
Tailors				3 3
Plumbers		• •		16
Blacksmiths	• •	• •	• •	11
Painters				14
All other Workshops		• •		59
1				
				354

The whole of the Workshops were regularly inspected, and the following are particulars of the defects found and dealt with:—

	No. of Notices served.	No. complied with.
Want of Cleanliness . Defective ventilation . Sanitary conveniences insufficie Defective fittings . Structural defects .	25 6 2 12 6	25 6 2 12 6

The following notices were received from His Majesty's Inspector of Factories during the year pointing out defects remediable under the Public Health Acts:—

Workshops requiring cleansing	 5
Defective ventilation	 3
Defective water closet fittings, &c.	 2
	10

The whole of the defects to which our attention was drawn have been remedied.

One underground bakehouse was in use without being certified, but on the attention of the proprietor being called to Section 101 of the Factory and Workshop Act, 1901, the use of such room was forthwith discontinued.

Section 107 of the Factory and Workshop Act, 1901, provides that Lists of Outworkers must be kept by every Occupier of a Factory or Workshop who gives out work of certain classes to be done by persons in his employ outside the Factory or Workshop, and copies of such Lists are to be sent half-yearly to the Local Authority.

During the year I have only received Lists from 3 Tradesmen although I am aware that this is only about one-sixth of the number entitled to send such Lists.

In August, 1907, special Circulars were printed and distributed from this Department to all tradesmen likely to employ Outworkers calling attention to their duties under this Section, and although we then received Lists from 18 persons, they soon discontinued sending same, and in February, 1909. a special letter was sent out calling attention to the previous Circular and threatening proceedings if the requirements of the Act were not complied with. This letter brought immediate responses from 14 tradesmen, but in August of the same year the number was down to 7, and, as before stated, Lists were only received from 3 tradesmen last year.

It is important that these Lists of Outworkers should be regularly sent in so that the premises can be inspected, and also to provide us

with the necessary information to enable us to prevent goods being sent out from such Outworkers' homes in the event of a case of Infectious Disease occurring there, and I am afraid it will be necessary for the Council to prosecute one or more of the defaulters in order to bring home to them the necessity of discharging their obligations under the Section.

Food and Drugs.—183 samples have been taken during the year as follows:—

		No. taken.	Genuine.	Adulterated.
Milk		119	107	12
Spirit		15	14	ī
Flour		3	3	
Butter		3	3	_
Yeast		3 3 3 3 2	3	
Lard		3		_
Cheese		3	3	_
Ground Almonds		3	3 3 3 2 5	
Bread Meal		2	2	
Oatmeal		5		_
Sago	• •	1	1	_
Pepper	• •	$\frac{2}{3}$	2	-
Tartaric Acid	• •	3	3 3 1	—
Cream of Tartar	• •	3	3	_
Arrowroot	••	1		_
Ground Ginger	••	2	2	_
Tincture of Myrrh	••	1	1	_
Rhubarb	• •	1	1	_
Carbonate of Soda	• •	1	1	-
Tincture of Ginger	••	1	1	_
Sweet Nitre	••	1	1	_
Precipitated Sulphur	• • •	1	1	_
Cornflour Ground Rice	• •	1	1	_
	••	_	1	_
Self Raising Flour Tea	••	1 1	$\begin{bmatrix} 1 \\ 1 \end{bmatrix}$	
Mustard	••	l	1	
Jam	••	1	1	
Jaiii		1	1	
Total		183	170	13

The samples of Milk and Spirit were taken by me in person, but the whole of the remaining samples were taken informally, which method is not only a saving of expense but cannot fail to be more satisfactory as the Vendor is not aware that the articles purchased are to be submitted for analysis, and it is most satisfactory and creditable to our tradesmen for me to be able to report that none of such informal samples of provisions, drugs, &c., were found adulterated.

Of the 119 milk samples, 96 were morning and 23 afternoon samples.

25
The following is a list of the adulterated samples:—

No. of Sample.	Nature of Sample.	Result of Analysis.	Remarks.
21	Milk.	Deficient in non-fatty solids corresponding to an addition of 8.60% of water.	Proceedings taken and defendant ordered to pay the costs 18/6.
27	Milk.	Deficient in non-fatty solids corresponding to an addition of 10.40% of water	Proceedings taken and defendant ordered to pay the costs £6 0s. 8d.
42	Milk.	7% deficient in fat.	Letter of warning by Town Clerk.
45	Milk.	Deficient in non-fatty solids corresponding to an addition of 9.70% of water.	Letter of warning by Town Clerk. Note. — The circumstances in this case were of an exceptional nature.
53	Milk	Deficient in non-fatty solids corresponding to an addition of 6% of water.	Letter of warning by Town Clerk.
62	Milk.	30.4% deficient in fat.	Proceedings taken and defendant fined 10/- and 7/6 costs.
68	Milk.	19% deficient in fat.	Proceedings taken and defendant fined £5 and £4 6s. 6d. costs.
73	Milk.	Slightly deficient in fat.	Letter of warning by Town Clerk.
74	Milk.	Do.	Do.
116	Milk.	Deficient in non-fatty solids corresponding to an addition of 11.2% of water.	The circumstances in this case were of an exceptional nature. Further samples were ordered to be taken.
152	Milk.	Deficient in non-fatty solids corresponding to an addition of 4.40% of water.	Letter of warning by Town Clerk.
155	Milk.	Deficient in non-fatty solids corresponding to an addition of 3% of water.	Do.
171	Whiskey.	35·24 degrees under proof.	Proceedings taken and defendant fined 5/- and 18/-costs.

Inspection of Meat and Other Foods.—Special attention has been paid to the systematic inspection of the various food stuffs exposed for sale during the year, and particularly to meat, fruit, and fish.

All food traders are constantly liable to have food turn unsound whilst in their possession, and in the case of butchers, to find unexpected diseased conditions of various kinds in carcasses. The course adopted by me, particularly as regards meat, is to invite notification of these occurrences to this department, and in such cases that portion which is considered by me to be unfit for human food to be surrendered by the owner and no further proceedings taken. The results have been very satisfactory and about 41 % of the cases I have had to deal with have been notified in this way, the remaining 59 % being found on inspection chiefly at the time of slaughter.

I endeavour to arrange that every carcass prepared for sale in the Borough is inspected, together with the organs belonging thereto, at the time of slaughter, but as there are 40 private slaughter-houses in the Borough and no restriction in the slaughter-house bye-laws regulating the times of slaughtering, which takes place on almost every day in the week, and at all hours of the day and evening, it will be fully realized that the work is both arduous and necessitates a good deal of night work.

Although the work, including the regular inspection of the markets, takes up quite two-thirds of one man's time, I think the Council will agree that such time and expense is well spent when I inform you that during last year no less than 5 tons, 10 cwts., 24 lbs. of diseased and unsound food was either seized by or surrendered to me, and destroyed.

Three formal seizures were made and proceedings taken in one case, the defendants all being convicted, and fines of £10, £5, and £25, respectively, with costs in each case, inflicted.

In two cases the meat was Tubercular and certain signs of the disease had been removed, but the work had not been well done as sufficient signs were left to permit of detection, the third was a case of Unsound Meat which was totally unfit for food.

The total number of animals slaughtered in the Borough during the past year (exclusive of sheep and swine) is about 5,000, and it is due from me to our meat traders to say that from the majority of them I receive every assistance, the relations between them and this Department are satisfactory, and their chief desire seems to be to carry on their business in a honest, staightforward manner, and supply the public with good wholesome meat.

The following is a list of all food seized or surrendered during the year:—

MEAT.					Stones	lbs.
13 carcasses of Be	eef. weig	hing		,	633	7
Beef, not in carca	.SS		•		125	8
Veal					10	6
Ox Livers, Heads		etc.			33	10
Rabbits	,,				3	3
14455115	• •	••				
					806	6
Fish.					Stones	
6 Cod Fish				•	3	8
Small Haddocks				•	2	7
Lobsters	• •	• •	•	•	0	11
					6	12
FRUIT AND	VEGETA	BLES.			Stone	
Cherries					1	2
Peaches	• •		•		0	13
Strawberries			•	•	63	13
Vegetable Marro	ws			•	1	6
Apples	• •	• •	• •	•	1	0
					68	6
	Sumi	MARY.				
			Tons	cwt	s. qrs.	lbs.
Meat	• •		5	0	3	6
Fish	• •	• •	0	0	3	12
Fruit and Vege	etables	• •	0	8	2	6
Total		• •	5	10	0	24

Slaughterhouses.—There are 40 Slaughterhouses in the Borough, of which 11 are subject to annual licence.

One application for a licence to premises situate in Hollyhurst Road was refused.

One licence has lapsed during the year through disuse.

Many of the old slaughterhouses leave much to be desired so far as regards their position, surroundings, and arrangement, and would not be likely to receive a licence if application had to be made at the present time.

The whole of the slaughterhouses have been regularly and frequently inspected, and the Bye-laws as to lime-washing, provision of receptacles for garbage, etc., have been fairly well observed, verbal intimations of any breach having the desired effect.

Offensive Trades.—The following is a list of the offensive trades carried on in the Borough:—

1 bone boiler,1 fellmonger,

1 gut scraper,

4 fat rendering and tripe boiling,

1 tripe boiling only, 1 fat rendering only.

1 fish fryer.

By virtue of Section 112 of the Public Health Act, 1875 as amended by Section 51 of the Public Health Amendment Act, 1907, an Order was made by the Local Government Board on the 30th May, 1911, declaring the following trades, namely, Fat Melter or Fat Extractor, Fish Fryer, Gut Scraper, Rag and Bone Dealer, and Candle Maker within the Borough to be offensive trades.

In addition to the above list there are 32 Fish Fryers and 11 Rag and Bone Dealers in the Borough.

Frequent visits have been made to the various premises, and with one or two exceptions the trades were found to be carried on satisfactorily.

The Town Clerk is at present preparing a set of Bye-laws for regulating the conduct of all offensive trades which will probably be put into force at an early date.

Dairies, Cowsheds, and Milkshops.—There are 25 Cowkeepers and 98 Milk-sellers on the Register—1 Cowshed and 14 Milk-sellers have been added, and 1 Cowshed and 12 Milk-sellers discontinued during the year.

The Cowsheds have been kept in a satisfactory condition, but some of the Milkshops are not satisfactory. In several cases the milk is stored in unsuitable places and in open bowls and tins instead of proper covered receptacles. The attention of the purveyors has been called to the matter, and an intimation given that unless better methods are adopted steps will be taken to compel them to discontinue selling milk.

Living Vans, Tents, and Sheds.—I have frequently had to deal with persons occupying these structures, who come into the town and locate themselves on certain waste lands.

Invariably they are not provided with sufficient water supply or sanitary accommodation, and from their filthy habits they become a nuisance and source of danger to the neighbourhood in which they are located.

In most cases the supplying of a copy of our Bye-laws and a verbal intimation to move on has had the desired effect, but in 7 cases it was necessary for the Town Clerk to serve 24-hour notices threatening to prosecute, before they were removed.

HOUSING & TOWN PLANNING ACT, 1909.

Housing (Inspection of District) Regulations, 1910 — Additional responsibilities have been placed upon Local Authorities under the above Act, amongst which is the systematic House to House Inspection in their particular districts.

Owing to changes in the Staff of the Department, and the continued prevalence of the Scarlet Fever Epidemic during the year, this work did not receive as much attention as it otherwise would have done.

I had the pleasure of submitting a system of obtaining and recording the necessary information to our Medical Officer of Health shortly after he took up his duties, and on his approval thereof have had same put into operation.

During the year 201 Inspections were made and 25 notices served for remedying certain defects, which were, with 2 exceptions, duly complied with.

It is not necessary for us to proceed under this Act for the closing of premises unfit for human habitation, as the Council have powers under the Darlington Extension and Improvement Act, 1872, similar to those contained in the Act, and during the year 1 house was closed under this Local Act.

Common Lodging-Houses,—There are 10 Registered Common Lodging-houses in the Borough with accommodation for 418 lodgers. Two of the keepers of such lodging-houses are only registered for a period of 12 months under the provisions of the Public Health Acts Amendment Act, 1907.

One of these lodging-houses was added during the year and registered for 18 lodgers. The house is situate at Number 9 Park Place, and was formerly the Exchange Inn. The premises were overhauled and proper and sufficient sanitary conveniences and lavatory accommodation provided before being registered.

Several changes in the Deputies registered have occurred during the year.

The whole of the Lodging-houses have been regularly inspected, and the Bye-laws are fairly well observed.

Notices to abate nuisances were served in 10 cases, and in 9 cases such notices were promptly complied with. The notice outstanding is in respect of Tanfield's Home, and in this case part of the work has been carried out, but there are sets of trough closets and lavatories in two sections of the Home which have direct communication with the kitchen. The necessary alterations to these conveniences have not yet been done, but I am informed that our requirements are receiving attention and will be complied with at an early date.

In conclusion, I have pleasure in thanking you for your support, and also in recording the valuable assistance I have at all times received from the Town Clerk and Medical Officer of Health, and also the hearty co-operation of every member of the staff of the Health Department.

I am, Gentlemen,

Your obedient servant,

JNO. R. COPPING,

Chief Sanitary Inspector.

Health Office, Houndgate, 14th May, 1912.

LIST OF STATISTICAL TABLES.

		PAGE.
Table	I. —Vital Statistics for 1911 and previous years (L.G.B. Table)	32
,,	II. —Cases of Infectious Disease notified and removed to Hospital	
	during 1911, classified according to Ward and Age (L.G.B.	
	Table)	33
,,	III. —Causes of Death, 1911, arranged according to classification of	
	Registrar-General (L.G.B. Table)	34
,,	IV. —Infant Mortality during 1911 (L.G.B. Table)	35
"	V. —Total Deaths in Wards and Quarters of Year during 1911	36, 37
,,	VI. —Infant Mortality during 1911—Deaths distributed in Wards	
	and Quarters of Year	38, 39
,,	VII.—Summary of Meteorological Observations	40

55,633 At Census of 1911. 4.52

Total population at all ages ... Number of inhabited houses Average number of persons per house...

3,956.

Area of Borough in Acres ...

TABLE I,—VITAL STATISTICS OF DARLINGTON DURING 1911 AND PREVIOUS YEARS.

District.	At all ages.	Rate.	13	15.7	14.1	14.3	13.3	12.9	15.0
ing to the	At all	Number.	12	791	725	751	714	602	837
Net Deaths belonging to the District.	Under I year of age.	Rate per 1,000 net Births.	11	143	115	119	102	105	135
Net De		Number.	10	203	163	187	154	152	202
Transferable Deaths	of Recidents	registered in the District.	6	11	6	9	14	17	25
Transferal Deaths	of Non-	Residents registered in the District.	∞	20	23	20	16	56	18
Total Deaths Registered in the District.		Rate.	2	15.9	14.4	14.6	13.3	13.1	14.8
Total I Register Dist		Number.		800	739	765	716	718	830
	Net.	Rate.	5	28.2	27.5	30.4	28.0	26.5	26.8
Births.	Z	Number.	4	:	:	:	:	:	1,496
	Un- corrected.		က	1,422	1,413	1,575	1,511	1,451	1,500
Population Estimated to Middle of each Year.		2	50,283	51,398	52,519	53,646	54,779	55,911	
Year.			1	1906	1907	1908	1909	1910	1911

TABLE II.—CASES OF INFECTIOUS DISEASE NOTIFIED AND REMOVED TO HOSPITAL DURING THE YEAR 1911, CLASSIFIED ACCORDING TO WARD AND AGE.

						3 3						
d to	Total		::	44	671	:6	:-	:	: :	:	:	725
move Wa	9	Central	::	4	96	:-	: :	:	: :	:	:	95
each Ward	5	South	::	4	82	:00	::	:	: :	:	:	89
Case	4	West	::	1-	78	:-	::	:	: :	:	:	98
r of ital	က	North-West	::	12	181	: -	::	:	: :	:	:	194
Number of Cases removed Hospital from each Ward	67	East	::	က	122	:-	:-	:	: :	:	:	127
ž	1	North	::	14	118	:07	::	:	: :	:	:	134
in	9	Central	::	4	98	:07	: :	:	. 6	:	:	115
	5	South	::	~	89	: 2	::	:	: 9	:	:	109
s notil Ward	4	West	::	11	89	:07	::	-	: :	:	:	107
Total Cases notified each Ward.	ಣ	North-West	::	15	193	:07	::	:	: 9	:	:	222
otal (2	East	::	9	5 130	:2	:-	:	. 0	:	:	149
Ţ	-	North	::	14	9	: 2	::	:	: -	:	:	149
		65 and sbrawqu.	::	:	9:	::	::	:	: -	:	:	7
ခြင	S.	3 9 o1 d4	::		ი :	:-	::	:	: 01	:	:	21
who	Ages-Years.	25 to 45	::	6	9		:-	:	: 13	:	:	53
ed in	ges-	16 to 25	::	10	74		::	-	: "	:	:	94
Cases notified in whole Borough.	At A	či oj č	::	22	2 509	:00	::	:	: :	:	:	536
ases	4	3 of I	::	15	1117	:07	::	:	: :	:	•	134
S		Under 1	::	•	5	::	::	:	: :	:	:	9
	'sa	egA Ils 1A	::	29	28 719	18	:-		27	:	:	851
	Notifiable Disease.		Smallpox Cholera	Membranous Croup)	Erysipelas Scarlet Fever	Typhus Fever Enteric Fever	Kelapsing Fever	Puerperal Fever	:	Phthisis \langle Under Tuberculosis Regulations \langle 1911	(Others	TOTAL

Borough Fever Hospital, Hunden's Lane, Darlington, 112 beds used for Enteric and Scarlet Fevers, and Diphtheria. Four Ward Blocks and Discharge Block.

Borough Smallpox Hospital on the Eastern Boundary of the Borough—35 beds. BOROUGH ISOLATION HOSPITALS

TABLE 111.
CAUSES OF, AND AGES AT, DEATH DURING YEAR 1911.

CAUSES OF DEATH.	" R	eside	ents '	' whe	ether	ubjoin occu e dist	ned a	ges with	of iin	otal deaths whether of dents or non-residents n institutions in the district.
	All ages.	Under one year.	l and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Total deaths residents or no in institution distri
1	2	3	4	5	6	7	8 1	9	10	11
All causes { Certified Uncertified	804 40	192 10	41	40 1	47	37 1	96 3	141 11	203 14	125
Enteric Fever Smallpox Measles Scarlet Fever	3 11 19	••	 5	 5 7	 1 11	 1		••	••	1 19
Whooping Cough	12 3 6 2		1	3 1 	2		 2 1	2	2	 2
Cerebro-Spinal Fever Tetanus Lead Poisoning Phthisis (Pulmonary Tuberculosis)	 4 1 60	••	••	••	1	17	2 	1 1	2	 3 1
Tuberculous Meningitis Other Tuberculous Diseases Rheumatic Fever Cancer, malignant disease	10 13 4 53	$egin{array}{c} \cdot \cdot \\ \cdot 2 \\ \cdot \cdot \\ \cdot \cdot \end{array}$	$\begin{array}{c} \cdot \cdot \\ 3 \\ 2 \\ \cdot \cdot \\ \cdot \cdot \end{array}$	1 1 	3 4 1	2	 3 2 7	 1 26	19	 3
Bronchotis	62 30 23	18 13 2	2 7 4	3 4 1	1	 1	3	14 1 5	24 4 7	3 2 3
organs Diarrhœa and Enteritis Appendicitis and Typhilitis Alcoholism	8 68 3 1	1 46 		$\begin{array}{c} 2 \\ 2 \\ \vdots \\ \end{array}$	·· 2	 1 	$\begin{array}{c} 1 \\ 2 \\ 1 \\ \end{array}$	1 3 	3 4 	$\begin{array}{c} 2\\2\\3\\\cdots\end{array}$
Cirrhosis of Liver Nephritis and Bright's Disease Puerperal Fever Other accidents and diseases of	7 16 5	••	• •	••	1	1	1 4 4	5 6 	1 5	 3 1
Pregnancy and Parturition Congenital Debility and Malformation, including Premature Birth	73		1	• •	••		2	••	••	1
Violent Deaths, excluding Suicides Suicides Other Defined Diseases Diseases ill-defined or unknown		1 19	3	4 2	3 11 2	1 7	1 4 26 6	3 1 55 12	1 91 52	
Total	837	202	41	41	47	38	99	152	217	125

TABLE IV.

INFANT MORTALITY.

1911. NET DEATHS FROM STATED CAUSES AT VARIOUS AGES UNDER ONE YEAR OF AGE.

CAUSE OF DEATH.	Under 1 Week.	1-2 Weeks.	2-3 Weeks.	3-4 Weeks.	Total under I month.	1-3 Months.	3-6 Months.	6-9 Months	9-12 Months.	Total Deaths under 1 Year.
All causes { Certified. Uncertified.	47 6	10	7	3	67 6	43 3	33	33	16	192 10
Smallpox Chicken-pox Measles Scarlet Fever Diphtheria and Croup Whooping-cough Diarrhæa Enteritis Tuberculous Meningitis Abdominal Tuberculosis Other Tuberculous Diseases Congenital Malformations Premature birth Atrophy, Debility, and Marasmus Atelectasis Injury at birth Erysipelas Syphilis Rickets Meningitis (not Tuberculous) Convulsions Gastritis Laryngitis Bronchitis Pneumonia (all forms) Suffocation, overlying Other causes		1							2 3 1 1	
	53	10	7	3	73	46	34	33	16	202

Net Births in the year, 1,496.

Net Deaths in the year, 837.

TABLE V.-NET DEATHS DURING 1911 OF PERSONS BELONGING TO DARLINGTON, CAUSES, AND QUARTERS IN WHICH THE DEATHS OCCURRED.

	hs:	For Whole Year.	797	8 : 1 : 1 : 6 : 6 : 6 : 6 : 6 : 6 : 6 : 6	130
	Total Deaths:	n Quarters	207 198 203 189 7 7 14 14 14	1 : 1 0 4 1 8 1 6 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	4 6
	Central.) uarte	20 20 31 32 31 31 31 31 31 31 31 31 31 31 31 31 31		· · · · · · · · · · · · · · · · · · ·
	South.	Quarte d	21		2
WARDS.	West.	Quarte	23		
WA	North- West. 166	Quarte	si 33 : 2n		
1	East. 158	Quarte d	34 62 4 2		
_	North. 174) uarte	sI 05 8 14 8 18 18 18 18 18 18 18 18 18 18 18 18 1		
	CAUSES OF DEATH. Total Deaths from all Causes		All Causes— Certified	Enteric Fever Smallpox Measles Scarlet Fever. Whooping Cough Diphtheria and Croup Influenza Erysipelas Cerebro-Spinal Fever Tetanus Lead Poisoning Dhthisis (Pulmonary Tuberculosis)	

								_						
4	53	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	69	က	-	7	16	ರ	ಣ	72	16	216	86	837
=	14	13 8 1	-	Ç1	:	_	2	:	:	14	901	46	27	203
:	12	100144	48	:	:	_	2	7		22	m C1	47	32	217
ಣ	16	1873	00	:	:	0.1	ಣ	ಣ	_	21	0101	62	56	205
:	Ξ	12 4 1	9			က	40			15	5 -	61	13	212
:	01	60-:	-		:	:	C/1	:	:		::	5	9	36
:	ಣ	: : : :	5	:	:	:	_	:	:	ಣ	-: -	5	1	25
•	:	_ aa a :	:	:	:			:	:	4	- :	4	1	30
•		<u> </u>	•	•	•	C/1		•	•		<u>01 ·</u>	∞	0.7	333
=		67		•	÷			:	•	က		က	4	
	4		.	: -	:	<u> </u>	<u> </u>	•	•	ಣ		7		7 33
•		•		•			•	•	<u> </u>		•			27
	ಣ	<u> </u>		:	:	:	:	:	:	6.1	:01	119		33
:	က	०१०१ : :	:	:	:	:	1	:	:	4	⁶⁷ :	12	-	34
:	C/J	:	C/I	:	:	:	C)	:	:	4	::	6	CJ	21
<u> </u>	:	:::-		:	:	:		•	•	:	:::	9	4	7
<u> </u>	<u>~;</u>	• • • •	- 27	•	.		•	<u></u>	 :	<u>;</u>	:-	0	4	27 1
-	್			•	•	•	<u>:</u>	•	·		• •	8	•	
÷	<u></u>	<u> </u>	ಣ	:	•	<u> </u>	•	<u>·</u>	<u>.</u>	C/I	က ·		. 9	523
•		•		•	•		<u> </u>	•	<u> </u>		•			- Q
<u>:</u>			10	<u>:</u>	:	<u>:</u>		:_		4		7	ಣ	41
_	9	4-0:	:	:	:	:	6.1	:	:	4	: :	11	4	38
:	C1	−		:	:	:	:	:	:	4	::	11	7	32
:	-:	131	_	_	:	:	1	:		C)	- :	-1	್ಣ	35
÷	4	27	10	•	•		•		:	9	- -	L-	-6	26
<u>:</u>					.	•	•		•	10	:	1	4	33.5
•			ಣ	•		:	.		-	<u> </u>	- :		4	
÷	C1	01 - 01 ·		:	•	\div	.	- :	•	61		4		37
•		•	•	•	•		•	<u> </u>	•					26
:	:_	<u> </u>	12	:	<u>:</u>	:		:	<u>:</u>	9	::	15	_ 	51
:	4	_01 : _02	C1	:		:	:	:		4	::	1	9	44
:	1	L00:		-	:	T	7	7	:	ಣ	: -	11	10	53
:	:	::: s	:	:	:	:	:	:	:	:	::	:	:	:
	·	an	-							ď.		Ť		
		Organs								tio				
:	:	: : : ?	:	:	:	:	:	:	of:	formation	cide)	:		
		tory							es	ort	Ċ.		wn	
		atc					se			मुद्	-:=			
:	6 3	s)	:		:	:	ea	:	her Accidents and Diseas Pregnancy and Parturition	ongenital Debility and Mall including Premature Birth		:	KD	
	3.Se	dsa w.		itis			Sic		Dis	T E	Bul		lat	,, l
	ses	for	is	hli			SI		_ t	re re	ıdi	es	بر بر	Total Deaths
	Di	e r	rit	ур	•	•	11,	•	nd Par	tu)	년:	ase	0	ea
)t	the	ıte	T		н	ig		E H	lity na	ex	ise	ed	Ω
'er	าลา	010	되	pr		Ve	Br	H	nts .nd	bil	9 .	Ã	пŋ	a]
, e	181	eur all	p	aı	•	:3	p	eve	ler , a	De P	÷ ÷	ğ	de	ot
2	[2]	a (an	tis	c	Jo	an	I	cid	_ oo _	ea	ine	=	Ţ
utic	Z	tis -F-F onic	62	ic.	isn	SI	is	al	Ac	ita	Α	efi		
Шâ	er,		рq	nd	lol	OS	rit	ber	ng ng	eni Iuć	nt Jes	Φ.	ses	
en	Ü	onc onc eui	arr	pel	coh	rh	рh	eri	ner Pre	ng nc]	cic	Jer	ea	
Rheumatic Fever	Cancer, Malignant Disease	Bronchitis	Diarrhœa and Enteritis	Appendicitis and Typhlitis	Alcoholism	Cirrhosis of Liver	Nephritis and Bright's Diseas	Puerperal Fever	Other Accidents and Diseas Pregnancy and Parturition	Congenital Debility and Malincluding Premature Birth	Violent Deaths (excluding Suspicides	Other defined Diseases	Diseases ill-defined or unkno	
_)	HH-0	Т	4	4	9		_	0	9	P 0)	0	I	

DEATHS FROM STATED CAUSES ALLOTTED TO THE WARIOUS WARDS AND QUARTERS TABLE VI.-INFANT MORTALITY, DARLINGTON, DURING THE YEAR 1911.

OF THE YEAR.

	Total Deaths under 1 year.		For	Whole Year.	192									
	unde			41	40									
	aths		arters	3rd	9	2 442								
	al De		In Quarters.	In Qu	puz	39	::::::::::::::::::::::::::::::::::::::							
	Tot			lst	44									
		Deaths—Deaths—Deaths—Deaths—Deaths—nuder 1 year under 1 year under 1 year under 1 year under 1 year 1 year 1 year 1 year 13; all ages, 174 all ages, 158 all ages, 166 all ages, 88, all ages, 127 all ages, 128	S	Ч₽₩	1									
	Central.	Deaths—nder 1 yes 37;	Quarters.	1st bn2 b18	∞ :	2 : : : :								
1	ë	Jea der 3	na)	puz	41011	7::::								
		un all		1st	10									
		ear 127	s	lst 2nd 3rd 4th										
	됩	ths 1 y 1 ; es,	rter	3rd	6									
	South.	Deaths—nder 1 year 21;	Quarters.	puz	4:									
	•,	un IIe]st	9									
	. •	ear 88.	'n	<u> 41</u>	I- :	::::::								
	West.	Deaths—nder 1 year 13;	Quarters.	3rd	- 2 - 1									
SC	≥	der der 1)ua	puz	•									
Z .		un la		1s1	8 2 1									
WARDS.	الما	-ean	rs.	<u> 414</u>		2								
	North- West.	Deaths—nder I yea 17;	Quarters.	ari bn2 br6 br6 br1 br6 br6	617									
ŀ	ĭĕ	Deander	Quz	puz										
		2 I I		18[
	ندا	s= yea	ers.	Srd Ath	18 10	9 9								
	East.	Deaths—nder 1 year 50;	uarters. Quarters.	- grd		7								
	14	De nde			Quarters. Quar		1st hag	6 11	5: 1::					
		ar u										127	2	
	नु	Deaths—nder 1 yea 40;								grd_	19	27		
	North.	ath er 1 40 ges							puz	6 19	:::::::::::::::::::::::::::::::::::::			
	Z	De nde	οÕ	1st bag										
	1	<u> </u>		101	11:									
					• •									
		Ħ			::									
		Ę												
		EA			::	:::::::::::::::::::::::::::::::::::::::								
		D												
		Ţ				ďn.								
		0			• •	Cro								
		SS				Bno Pl								
		CAUSES OF DEATH.			All Causes— Certified Uncertified	Chicken Pox Measles Scarlet Fever Diphtheria and Croup Whooping Cough Diarrhæa								
		ΑŪ			l Causes— Certified Uncertified	Chicken Pox Measles Scarlet Fever Diphtheria an Whooping C Diarrhoca								
		7			rtif cer	Chicken Person Reasles Scarlet Fe Diphtheria Whooping Diarrhoea Entertis								
					de de	hich eas carl iph rho								
					A	DENCE DENCE								

: 5	3 24 45	41 : 21 4 8 2 1 1 8 7 0	202	837
- ::	0.00		42	203
: :	91	1	76	217
:::	13 9 2		41	205
: :	: 1		43	212
	: : -		7	36
::::	-22-	-::::::::	8	25
• • • • •	<u>–– 4</u>			30 2
		_ · · · · · · · · · · · · · · · · · · ·	11 11	
	_ : : -			33
<u> </u>			4	33
:::	: : ന		7	27
	:27	:::::::	4	33
• • • •	• • • • •		9	34 8
	8		7	1
· · ·			67	72
· · ·	<u> </u>			
::::	:		2	27
:::	: : =		2	23
:::	. – –	:::::::::::::::::::::::::::::::::::::::	6	5
	· 01 69	: : : : : : : : : : : : : : : : : : : :	1	15
• • • •	· 01 02		61	4
• • •	•		6	38
	::07			32
<u>::::</u>	: 63 :	:::::::::::::::::::::::::::::::::::::::	10	32
:::	:0160	: : : : : : : : : : : : : :	22	56
<u> </u>	· 01 4	:::-:	12	33
	: :87		9	37
-: : :	: 62 :		2	9
			-6	
	. : 9			51
<u>:::</u>			5	44
<u>: </u>	:- 01	: - : : - : : : : : : : : : : : : : : :	11	53
:::	: : :		:	: :
:::	Congenital Malformations Premature Birth Atrophy, Debility, and Marasmus	-	Total Deaths under 1 year of age	•
	ira	Atelectasis Injury at Birth Erysipelas Syphilis Rickets Meningitis (not Tuberculous) Convulsions Gastritis Laryngitis Bronchitis Bronchitis Suffocation, overlying Other causes	jo	
Tubercular Meningitis Abdominal Tuberculosis Other Tubercular Diseases	ns M		ear	Total Deaths at all ages
s osis ea	tio	ra	y	es
riti: ulc Dis	na an	ns ns	1	age
ng rc r I	orn y,	Tu.	de	all
eni 1be 1la:	alt Hit	ot '	un	at :
F F	Mf. Bir eb		S	S
al be	De la	is (see see see see see see see see see s	ath	ith
rin Fu	nit; ur	sat at a)eš)es
erc on	ger nat	r camping the property of the] I	I
ub bd	Congenital Malformations Premature Birth Atrophy, Debility, and Ma	Atelectasis Injury at Birth Eryspelas Syphilis Rickets Meningitis (not Tuber Convulsions Gastritis Laryngitis Bronchitis Bronchitis Bronchitis Bronchitis Bronchitis Bronchitis Other causes	ota	ıta
E 4 Q	P P C	Atelectasis Injury at Birth Erysipelas Syphilis Rickets Meningitis (not Convulsions Gastritis Laryngitis Bronchitis Preumonia (all Suffocation, ove Other causes	$\mathbf{T}_{\mathbf{c}}$	To
			J	

TABLE VII.—SUMMARY OF METEOROLOGICAL OBSERVATIONS, 1911, TAKEN DAILY

AT THE SOUTH PARK, DARLINGTON.

Month.		Barol	Barometer Reading.	Temperatur Registered	Femperature Registered.	Rainfall ches).	satest ill in any hours.	ite of est Fall.	er of days nich rain l inches nore.
		Highest.	Lowest.	Highest.	Lowest.		Rainfa		on wh
January	:	9.08	29.4	53	14	1.70	0.40	11th	13
February	:		29.1	99	23	1.16	0.27	21st	14
March	:	30.2	29.4	55	29	2.38	0.52	16th	19
April	:		29.4	58	28	1.36	0.32	28th	14
May	:		29.5	22	35	1.91	0.15	14th	13
June	:		29.3	62	36	2.82	96.0	23rd	11
July	:		29.5	85	41	29.0	0.28	20th	10
August	:		29.6	88	39	1.90	0.58	21st	10
September	:		29.5	62	31	2.85	1.16	12th	10
October	:		28.6	59	22	2.59	1.50	26th	21
November	:		28.6	29	25	4.60	0.81	19th	23
December	:		28.6	53	25	5.15	0.64	6th	25
Totals	:	:	:	:	:	28.55	:	:	183
Averages	:	:	:	:	:	2.38	•	:	15.25

BOROUGH OF DARLINGTON.



ANNUAL REPORT

OF THE

SCHOOL MEDICAL OFFICER,

S. G. MOSTYN, M.A., M.B., B.Ch. (Oxford), D.P.H. (Camb.),

FOR THE

YEAR ENDED 31ST DECEMBER, 1911.



ANNUAL REPORT.

To the Chairman and Members of the Elementary Education Sub-Committee.

Mr. Chairman, Ladies, and Gentlemen,

I herewith present for your consideration my First Annual Report as Medical Inspector of School Children in the Borough—the Fourth Report presented by your School Medical Officers. For the first half of the year the Inspection was carried out by Dr. F. T. H. Wood, my predecessor, and I wish here to acknowledge his kindness in doing everything possible to explain to me the system of School Medical Inspection which he instituted.

No important alteration has taken place since my appointment in the methods of carrying out the School Medical Inspection; the principal change has been that the work is now more closely co-ordinated with the work of the Health Department, and there is reason to believe that the co-operation of the two departments will in the next few years make itself evident both by a diminution in the sickness-and mortality-rates from the diseases of childhood and by improvement in the attendance at the schools. As the education of the parents and the eradication of dangerous and mistaken beliefs of long standing are a necessary part of this process its full effect cannot be looked for at once.

During the earlier part of the year children were inspected belonging to four age groups, "entrants," 7 year olds, 10 year olds, and "leavers." Owing to the closing of the schools for six weeks in the months of April and May on account of Scarlet Fever it was not found possible to finish the scheme thus begun. before the end of the summer term. This more complete scheme had to be curtailed on the appointment of your present School Medical Officer owing to the time required for it not being now available; the work remaining from the earlier part of the year, was, however, taken in hand in addition to the inspections—of "entrants" and "leavers"—actually required by the Board of Education. Though the work in arrear was not completely made up the greater part of it was carried out. By the scheme at present at work, only the inspections actually required by the Board are made, and for this purpose each school is visited every term. This gives the teachers an opportunity for calling attention to any

pupil in whom they may suspect defects; such pupils are examined as "specials."

The parents are invited to attend at the inspections and a great number do so; the total number of parents thus present was 1,088; 45 per cent. in the case of children at age four, 52 per cent. for age five, 52 per cent. for age seven, 39 per cent. for age ten, and 20 per cent. for age thirteen; on the whole the percentage of attendance of parents is not so high as in previous years. Many parents who attend take a great interest in the examination and shew a real desire to do the best they can for their children's welfare.

The School Nurse assisted as before at the inspections by taking the weights and heights, and by helping the children with their clothes. The work is carried out in a class-room, or, where possible, in the Head Teacher's room. In some schools such use of the rooms was not contemplated when they were built, and the rooms are, in consequence, ill adapted for the purpose.

The total number examined at the inspections was 2,950, made up as in the Table below:—

	Age 4.	Age 5.	Age 7.	Age 10.	Age 13.	Other Ages.	Total
BOYS	208 191	266 306	210 189	333 312	394 396	68 77	1,479 1,471
Total	399	572	399	645	790	145	2,950

TABLE I.-Children Examined during the Year.

The method adopted when any remediable defect was noticed was the same as in previous years. The parent was advised as to the need of treatment, verbally if present, otherwise by a letter, or occasionally by a special visit of the School Nurse. After a month or more the School Nurse visited the home to see what had been done, and where the results were not satisfactory urged further treatment. The parents in no instances resent these visits; the Nurse is welcomed and her advice asked on other points. During the hot weather many opportunities occurred for explaining the simple but important precautions needed to prevent deaths from infantile diarrhæa. Directions to treat defects, excluding verminous conditions, were given in 728 instances. Table II. sets out the results obtained as far as can be ascertained.

TABLE II. Result of Advice Given to Parents.

DISEASE.		er where attende			er where ot attend		Percentage attended to.
	Boys.	Girls.	Total.	Boys.	Girls.	Total.	
Pediculi: nits	17	152	169	_	_	_	100
Skin disease	4	6	10	. –		_	100
Teeth	6	10	16	28	50	78	17
Enlarged tonsils	13	7	20	21	23	44	31
Adenoids—advised breathing exercises	76	56	132	36	28	64	67
Adenoids referred for operation	18	10	28	45	32	77	27
Enlarged glands	2	4	6	5	5	10	38
Squint	4	8	12	15	14	29	29
External eye disease	8	5	13	2	3	5	72
Defective vision	9	13	22	39	51	90	20
Ear discharge	4	4	8	3	1	4	67
Deafness	2	4	6	2	5	7	46
Other diseases	14	16	30	8	5	13	70

It will be noted that the percentage of cases attended to is smallest for defective teeth, defective vision, adenoids, and squint. With regard to teeth, though many parents are concerned about the condition of their children's teeth, this is far from being general; frequently no care is taken of the temporary teeth and the permanent teeth make their appearance in mouths already full of decay. The expense involved in a visit to the dentist is the principal cause why the permanent teeth are neglected; worthless and decayed teeth are retained and infect others. Expense and ill-founded optimism that things will come right of themselves also account for neglect of defective vision and adenoids. Squint needs skilled attention, and parents are, in general, unaware of the importance of early treatment, and do not know that soon after Squint begins there is a probability that one eye will become almost useless for vision. It is to be feared that neglect of these important defects is not likely to disappear under present conditions.

Height and Weight in Relation to Age and Sex. TABLE III.

			46		
Age 13.	Girls.	396	$13\frac{6}{12}$	4ft. 9½in. 4ft. 8½in.	87.2 lbs.
Age	Boys.	394	$13\frac{6}{12}$	4ft. 8gin.	82.6 lbs.
Age 10.	Girls.	312	10	4ft. 3in. 4ft. 1in.	62·0 lbs.
Age	Boys.	333	10	3ft. 4½in. 3ft. 10in. 3ft. 8½in. 4ft. 3½in. 3ft. 4½in. 3ft. 5in. 3ft. 5½in 4ft. 1½in.	67·5 lbs.
Age 7.	Girls.	189	$6\frac{1}{1}\frac{1}{2}$	3ft. 8½in. 3ft. 5½in	47·5 lbs.
Age	Boys.	210	7	3ft. 10in. 3ft. 5in.	49·7 lbs.
Age 5.	Girls.	306	$5rac{4}{12}$	3ft. 4½in.	39·2 lbs.
Age	Boys.	266	$5\frac{4}{12}$	3ft. 5in. 3ft. 4in.	39·9 lbs.
. 4.	Girls.	191	$4\frac{5}{12}$	3ft. 2½in. 3ft. 2½in. 3ft. 2½in.	36·1 lbs. 36·0
Age 4	Boys.	208	4 5 7	3ft. 2½in. 3ft. 2in.	37·3 lbs.
		Number Examined	Average Age	Standard Height	Standard Weight

Comparison with the heights and weights obtained in 1910 shews that except for boys of 13 there is a slight falling off in height, and except for boys and girls of 4 and girls of 5 there is a falling off in weight. In the absence of returns for the whole country it is difficult to form an opinion whether this may be due to the exceptional weather last summer. The standard heights and weights given in the above table include both town and country children; this may account for the fact that the heights and weights observed here are lower.

Infectious Disease in Relation to Age and Sex. TABLE IV.

1								
Age 13.	Girls (396)	Percentage	83	41	24	11	4·8	5 cases
Age	Boys (394)	Percentage	92	36	24	10	4.3	3 cases
Age 10.	Girls (312)	Percentage	88	49	31	တ် လ	6.1	:
Age	Boys (333)	Percentage Percentage	87	45	56	9.6	2.4	2 cases
Age 7.	Girls (189)	Percentage	83	51	32	4.8	3.2	:
Age	Boys (210)	Percentage	81	38	59	1.9	9.0	1 case
e 5.	Girls (306)	Percentage	09	42	18	3.9	2.0	•
Age 5.	Boys (266)	Percentage	65	38	15	8.9	1.1	:
Age 4.	Girls (191)	Percentage	53	33	15	1.6	0	:
Age	Boys (208)	Percentage	55	35	18	6.5	1.0	:
			:	:	:	:	:	:
			Measles	Whooping Cough	Chickenpox	Scarlet Fever	Diphtheria	Typhoid Fever

With the exception of Scarlet Fever no infectious disease was very prevalent during 1911. It must be remembered in comparing this Table with the corresponding Tables for the previous years that the figures given above are the result of the epidemic history of the town for a number of past years. In spite of the prevalence of Scarlet Fever during the year the percentage of children leaving the school who have suffered from this disease is considerably less than for last year. Consideration of the number of cases of Scarlet Fever notified since these children were born would lead to the conclusion that the 10 or 11 per cent. obtained this year at age 13 more fairly represents the condition of the children of the town than the 16 or 17 per cent. last year. Even though the outbreak was most severe during 1911 the number of children who had not suffered from this disease was increasing.

General Appearance and Condition of Children. TABLE V.

	Age	e 4.	Age	. 5.	Age 7.	7.	Age 10.	10.	Age	13.	To	Total.
	Boys	Girls	Boys	Girls	Boys	Girls	Boys	Girls	Boys	Girls	Number	Percentage
Total number examined	208	191	266	306	210	189	333	312	394	396	2,805	:
Number in whom no defect was found	51	81	43	46	15	19	21	27	54	51	408	14.5
Defective clothing	34	18	22	18	28	10	89	20	65	30	313	11.2
Defective footgear	53	44	46	35	14	10	35	20	58	51	366	12.8
Nutrition excellent	35	35	45	65	21	37	16	33	62	63	412	14.7
Nutrition normal	125	139	187	197	135	119	230	220	286	286	1,924	68.4
Nutrition below normal	47	17	33	43	54	33	86	59	46	47	465	9.91
Nutrition bad		:	1	-	:	:	1	:	:	:	41	0.1
General dirtiness	6		က	9	10	က	53	5	10	က	46	3.8
Verminous clothing	:	:	:	:	63	:	4	2	:	:	13	0.5
Pediculi or nits in hair	:	15	:	21	1	18	63	22	:	55	169	0.9
Disease of skin	4	5	63	30	14	5	6	σ ₀	10	9	98	3.3

The clothing was noted as defective in 313 cases or 11.2 per cent. of those examined. The defect was usually due to want of repair or cleanliness, rarely to insufficiency. Boots or shoes were defective in 366 cases or 12.8 per cent. Seven children were without boots.

Seventy-nine children were noted as dirty—a great improvement on previous years. Children whose hands and faces alone are dirty are not included under this heading.

Eighty-three cases of skin disease were noted. A small number of children were sent home at once at the time of inspection on account of ringworm, itch, or verminous conditions.

Thirteen children were found with verminous clothing, and nits or pediculi in the hair were noted in 169 cases. The School Nurse paid 588 home cases in connexion with these cases. In addition to these cases found at the routine medical inspection, cases were also discovered by the teachers and by the School Nurse occasionally examining whole classes or a school, see Table XII.

Percentage of Children with Decayed Teeth. TABLE VI.

						Age	4.	Age	5.	Age	7.	Age	10.	Age	Age 13.
						Boys	Girls	Boys	Girls	Boys	Girls	Boys	Girls	Boys	Girls
Total number examined	xamine	: -g		:	:	208	191	366	306	210	189	333	312	394	396
Percentage with sound teeth	punos t	teeth		:	:	68.1	74.4	9.99	6.89	52.5	47.7	9.48	44.2	55.0	52.6
Percentage with 1 or 2 teeth decayed	1 1 or 2	teeth d	lecay	pa	:	12.4	9.4	0.9	8.2	14.9	13.2	19.8	16.4	16.0	19.7
	က	ž	:		:	7.4	8.9	2.5	6.5	9.8	13.2	14.1	13.9	13.7	10.9
33	4	2	2		:	3.9	4.2	6.4	6.5	6.5	8.4	11.4	0.6	7.1	9.1
	5	2	2		:	2.4	0.5	4.9	3.9	2.9	7.9	0.9	5.8	4.1	3.5
	9	2	2		:	2.9	2.6	3.0	1.3	3.8	3.5	0.9	5.2	2.2	1.8
" "	2	2			:	2.4	0.5	1.5	2.0	2.4	3.5	3.6	5.6	8.0	2.0
	8 or 1	8 or more teeth	eth d	decayed	:	0.5	1.6	0.9	89 89	5.5	3.5	1.5	5.6	8.0	0.3
66	4 or more	more "	•	2	:	8.1	9.4	22.0	16.7	24.3	25.9	28.5	25.5	15.3	16.8
														١	

Generally speaking the condition of the teeth shews a slight improvement, but a large proporation of the parents do not realize the importance of good teeth to the children, or their own responsibility. No doubt, too, expense prevents many from taking their children to the dentist. The prevalent notion that the temporary teeth are unimportant and not worth troubling about is hard to eradicate.

TABLE VII. Adenoids and Enlargement of Tonsils.

		Enlarg	enient of I	Γonsils.	Aden	oids.
		Moderate	More Marked.	Extreme.	Moderate	Severe.
Age 4	Boys	39	26	2	23	7
Age 4	Girls	21	15	2	13	4
A 00 5	Boys	37	21	3	46	2
Age 5	Girls	34	18	1	31	5
A cro. E	Boys	7	5	1	33	5
Age 7	Girls	7	9	5	18	5
A == 10	Boys	30	17	4	67	15
Age 10	Girls	26	14	2	41	12
A ero 10	Boys	45	15	5	43	18
Age 13	Girls	41	23	4	39	16
TOTAL	Number	287	163	29	354	89
TOTAL	Percentage	9.7	5.5	0.98	12	3.0

In the case of moderate obstruction, due to enlarged tonsils and adenoids, and associated with mouth-breathing, simple breathing exercises are recommended. Where the obstruction is serious, and where the breathing exercises are not successful, operation is urged. Though a fair number of parents of their own accord have these defects remedied in their children a large number cannot be persuaded to do so. Perhaps expense and the dislike of anything of the nature of a surgical operation may largely account for this.

TABLE VIII. Cases of Enlarged Lymphatic Glands.

Degree of	Ag	e 4.	Ag	e 5.	Ag	e 7.	Age	e 10.	Ago	e 13.	
Enlargement.	Boys	Girls	Total								
Slight	31	35	56	35	34	24	25	20	23	15	298
Moderate	8	4	22	15	37	28	25	24	24	4	191
Great		2	3	3	4	6	5	2	3	4	32
Percentage of Moderate and Great	3.9	3.1	9·4	5.9	20	18	9	8.3	6.9	2	8

The Glands examined are those lying below the lower jaw and and about the neck. The commonest causes of enlarged glands in these regions are decayed teeth, enlarged tonsils, vermin in the hair, acute illnesses such as scarlet fever, measles, german measles, and tuberculosis.

TABLE IX. Defects and Diseases of the Eyes.

		Diseases of the External Eye.		Squint.		Defective Vision.		
		Number	Percentage	Number	Percentage	Number	Percentage	
Age 4.	Boys	5	2.4	4	1.9	_		
	Girls	15	7.8	4	2·1		_	
Age 5.	Boys	6	2.3	7	2.6	_		
	Girls	6	2.0	10	3.3	_		
Age 7.	Boys	6	2.9	12	5.7			
11g0 /.	Girls	3	1.6	8	4.2		_	
Age 10.	Boys	9	2.7	8	2.4	19	5.7	
11g0 10.	Girls	11	3.5	9	2.9	24	7.7	
Age 13.	Boys	6	1.5	9	2:3	33	8.4	
1180 10.	Girls	6	1.5	5	1.3	31	7.9	
TOTAL .		73	2.6	76	2.7	107	7:9	

The percentage of cases of squint and external eye disease are the same as last year. The older children alone have their eyes tested for defective vision; with the younger children the only method that time allows would not give trustworthy results. This is much to be regretted, as early diagnosis of defective eyesight is of importance. The vision is taken as defective if the child can read the standard type at only one third the distance at which a normal eye can do so.

TABLE X. Mental Ability.

		Age 7.		Age 10,		Age 13.		Total.
		Boys	Girls	Boys	Girls	Boys	Girls	I Otal.
Above average	Number	30	27	69	67	79	66	338
	Percentage	19	20	21	22	23	19	21
Average	Number	96	94	203	184	207	216	1000
	Percentage	60	70	62	60	60	61	62
Palam avarage	Number	33	14	54	54	57	69	281
Below average	Percentage	21	10	17	18	17	20	17

In Table X. the estimate of mental ability is furnished by the teachers.

Percentage 0.46 2.50 0.95 2.78 89.0 0.20 1.24 1.28 1.10 0.89 All Ages. Total. 20 26 28 35 36 19 25 13 14 31 Girls 9 2 4 0 C က CN ∞ 3 Π Age 13. Boys 2 0 0 က 0 13 S C 3 Other Defects and Diseases. Girls 9 0 CN 2 က 5 0 Age 10. Boys က 0 က 9 9 9 CN 91 Girls က 1 0 CV 0 0 4 CV က Age 7. Boys CV က 2 S က က ~ Girls 5 4 S က ç 0 <u>-</u> Ö, Age Boys S 5 3 5 C က က CV 0 × Girls 0 S CV 12 a က Age 4. TABLE Boys က 15 S က က 0 9 Disease of the nervous Disease of heart or Defective speech Disease of lungs circulation Other diseases Ear discharge system... Tuberculous Deafness Anæmia Rickets

Under the heading "other diseases" are included:—one case of scarlet fever, two cases each of scars from burns, scars of tracheotomy, epilepsy, and congenital syphilis; and three cases each of thyroid enlargement and congenital malformations.

Verminous Condition at one of the Schools as ascertained by an examination of all the scholars by the School Nurse. TABLE XII.

912.	Girls 88	11	1	П
January, 1912.	Boys 121	1	1	က
Jan	Infants Boys 59 121	4	1	1
.911.	Girls 88	28	က	က
December, 1911.	Boys 121	1	1	-
Dece	Infants 59	9	1	တ
.11.	Girls Infants Boys 76 59 121	15	-	-
January, 1911.	Boys 114	I	1	4
Jan	Girls Infants Boys 86 60 114	11	1	
.10.	Girls 86	87	5	4
January, 1910.	Boys 113	1	1	9
Janı	Infants Boys 69 113	7	41	63
.908.	Infants Boys Girls 86 103 95	58	9	မှ
December, 1908.	Boys 103	I	က	6
Dece	Infants 86	17	က	ŭ
		Nits only on hair	Lice and nits on hair	Lice on body and clothing

The results of the inspections in December, 1911, and January, 1912, shew the need of constant inspection and the good results that follow. Many of these cases belong to families who relapse into a verminous condition as soon as supervision becomes less vigorous.

The visits paid to the homes by the School Nurse during the year were as follows:—

General visits (to fol	low up advi	ice of Schoo	ol Me	edical	
Officer)					672
Visits on account of	verminous	conditions			588
Miscellaneous visits					422
	Total			. 1	689
	1 Otal	• •	• •		,002

The following cases of infectious disease were reported by the teachers during the year:—

Scarlet Fever			• •	• •	• •	360
Measles		• •	• •			124
Whooping Co	ugh	• •	• t	• •		78
Diphtheria	• •			• •		28
Ringworm			• •			27
Chickenpox					• •	22
Mumps				• •		16
Other condition	ons	• •	• •	• •		14
						669

The previous year 1,186 cases were thus notified, the large number being due to 608 cases of measles.

During the year only one Department (Gurney Pease Infant School) was closed on account of measles, from February 16th to May 14th.

All the schools were closed on account of scarlet fever, from March 31st to May 14th.

There are at the present time one blind boy and three deaf girls and one deaf boy from the Darlington area, in attendance at four Special Schools in the neighbourhood. There is no special provision made for the education of the physically defective.

At the end of the year there were 10 boys and 11 girls on the register of the Special School for the mentally defective. During the year one boy was transferred to this school from the West Hartlepool Special School, and left to go back to that school.

The Open Air School.

This school was open during the school terms from the 29th of May to the 6th of October. Its position at North Lodge Park was required for the new Higher Elementary School, and the Open Air School, was, in consequence, removed at the beginning of 1911 to a field adjoining Dodmire School. Though this position was not so central it had the advantage of being open to the fresh country air. The routine of the school was the same as in 1910, as described in the report of the School Medical Officer for that year. The sliding cloth screen or curtain used during 1910, was found unsatisfactory, and was, in consequence, replaced by movable wooden frames covered with canvas which could be placed on any side of the school shelter as required, to keep out wind or rain.

Part of the shelter in the Dodmire School-yard was separated off as a kitchen and fitted with water, a gas stove, and a geyser; another part was divided off as a bathroom and fitted with a simple bath-pan and shower; the open part of the shelter was used as a dining room.

Adjoining the school shelter, hammocks were swung from wood frames beneath a light canvas roof, which was found necessary to protect the children from the sun.

Twenty children, ten boys and ten girls, from eight to fourteen years of age, were chosen by the School Medical Officer from candidates nominated by the head teachers. The children who lived at a distance were provided with tram tickets by the Education Committee. Each child brought its towel, hair brush and comb, and tooth brush, and proper attention to personal cleanliness was an important part of the The daily shower bath, which was always taken under supervision, was much enjoyed by the children. In consequence of medical advice, one of the children was not allowed to have this bath. meal only was provided at the school; this was served at noon, and when it was over the children were sent to rest in their hammocks. In order that this time may be used for rest, it is necessary to have strict supervision by someone in authority. On the teacher's return all children washed themselves and brushed their teeth before beginning the afternoon school. Those, however, who were asleep in their hammocks were allowed to finish their sleep.

Special attention was paid to physical exercises and breathing exercises, and the healthiness of the life was obvious to any visitor. The food provided at dinner, was the same in character as in 1910, and is described in the School Medical Officer's report for that year.

The children at the school were chosen for a variety of reasons; five suffered from various forms of tuberclous disease, three from diseases of the eye, two from anaemia, three from enlarged glands, and the rest from general malnutrition and debility. During the time the

school was open the average gain in weight was two and a quarter pounds, and the average gain in height, 0.41 inches. The gains in weight were, however, very unevenly distributed, three children gained 4lb. or more, two from 3 to 4lb., seven from 2 to 3lb., three from 1 to 2lb., and four less than 1lb. One child suffering from tuberculosis seemed to be making good progress during the summer term, but was found to have lost ground when the school re-opened after the summer holiday. She died soon after.

Miscellaneous Work.

No children were fed during the year under the Education (Provision of Meals) Act, 1906.

Children were seen at the Education Office in order that an opinion might be given as to their fitness for attendance at school; some were brought by their parents, but most are sent by the Attendance Officers or Teachers. The following table gives the reasons for these examinations:—

						88
	• •	• •	• •	• •	• •	13
				• •	• •	17
				• •		6
o Indus	trial Sc	hools		• •		8
us cond	itions		• •			2 9
					_	
						161
	 diseases Open Ai to Indus	 diseases Open Air Scho	diseases Open Air School to Industrial Schools	diseases Open Air School to Industrial Schools	diseases	diseases

Twenty-five candidates for Pupil Teacherships, Bursaries, and Student Teacherships were medically examined and reported on.

S. G. MOSTYN.

May, 1912.

INDEX TO HEALTH REPORTS.

Introductory
Adopted and Local Acts
Area of Borough
Births 5, 6 Birth-rates and Death-rates, etc., compared with the large towns, etc 6, 7
Birth-rates and Death-rates, etc., compared with the large towns, etc. 6, 7
Closet Accommodation
Closet Accommodation
Closet Accommodation 17
Coroner's Inquests
Deaths
Deaths 6, 7, 8
Deaths, classified according to Causes, Ages, and the Quarters of the Year in which they occurred
Drainage and Sewerage 17
General Sanitary Work—
Common Lodging Houses 19, 29, 30
Dairies, Cowsheds, and Milkshops 28
Factories and Workshops
Food and Drugs
Housing Acts
Meat, Inspection of
Living Vans Tents and Shads
77
Offt T1
S
Scavenging
Slaughter-houses 27
Water Carriage 17, 18, 21, 22
77 acci Gairiago 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.
Infant Mortality 7, 8
Infectious Diseases Notification Act, 1889 10-16
Infectious Diseases—
Cholera 16
Diarrhœa 7, 15, 18
Diphtheria (including Membranous Croup) 15
Enteric (or Typhoid Fever)
Erysipelas 15

INDEX TO HEALTH REPORTS—Continued.

Infectious Diseases— Measles								15
27.1	• •	• •	• •	• •	• •	• •	• •	16
Puerperal F		• •	• •	••	••	• •	• •	15
Scarlet Fev		••	••	••		• •	• • •	14
Smallpox		• •	• •	• •	••	• •		16
Tuberculosi	_			• •	• •	• •		15, 16
Typhus Fev	er	••	••	• •	••	••	••	16
Lead Poisoning	••		••	••				8
Meteorology	••	••		••	••			40
Population		••	••		••	••	••	5
Rivers and Streams	••	••	••	••	••	••	••	16
Sanitary Inspector's	Report							20-30
Schools, Disinfection	n of		••			••		14
Statistical Tables	••	• •		• •	••	••	••	31-39
Tetanus		••	• •	••	• •	••		8
Uncertified Deaths	••	••	••	••	••		••	7
Water Carriage	••			••	••	1	17, 18,	21, 22
Water Supply	• •	• •	• •	• •		••		16
Work of Sanitary In	spectors	••	• •	••	• •		••	18, 19
Zymotic Diseases	••	••	• •		• •		•••	6-16

INDEX TO SCHOOL REPORT.

						I	AGE
Adenoids and Tonsils	• •	• •	• •		• •		53
Advice to Parents	••	••	••	••	• •	••	45
Condition of Children	••	• •	• •	••			50
Defective Children	• •	• •	• •	• •	••		59
Defects and Diseases	••	• •	••	••	• •		57
Eye Defects and Diseases	••	• •	••	••	••	••	55
Glands, Enlarged	••	• •	• •	••	••	• •	54
Height of School Children		••	• •	••	••	••	46
Infectious Disease	••	• •	• •	••		4	8, 59
Mental Ability		:	• •		• •	• •	56
Miscellaneous Work	••	••	• •	••	••	• •	61
Open Air School		••	••	••	••		60
School Closure			••				59
School Nurse	••	• •			• •	••	44
Teeth	••	••	••	••	• •	••	52
Vermin	••	••	• •	••	••	• •	58
Weight of School Children	١.,		••	• •	••		46